

- Beardslee, H. C., Notes on the scaly species of Hydnaceae, 255
 Betula papyrifera, 167
 Bifusella linearis, 150
 Bisby, G. R., Fungi from central Manitoba, 122
 Bjerkandera adusta, 97, 133
 Blechum Brownei, 10
 Boerhaavea erecta, 4
 Boletus cinnamomeus, 12; fasciatus, 13; hemichrysus, 144; hydroides, 13; luteus, 44, 132; nigromarginatus, 122; pavonius, 12; sanguineus, 13; scaber, 128
 Botryodiplodia compressa, 163
 Botryosphaeria melanops, 59
 Botrytis cinerea, 98, 197; Paconiae, 198; Rileyi, 173
 Bovista pila, 46; plumbea, 46
 Brachiaria platyphylla, 40
 Brassica oleracea gemmifera, 146
 Brodiaea Douglasii, 33
 Brunnichia cirrhoe, 136
 Bulgaria polymorpha, 85
 Burlingham, Gertrude S., Notes on species of Russula, 16
 Cajan Cajan, 12
 Callicarpa americana, 154, 175
 Calocera corniculata, 133
 Calonectria ambigua, 285; graminicola, 285
 Calothyrium hippocrateae, 179; ingae, 179; psychotriae, 179
 Calvatia Bovista, 46, 144
 Camarosporium astericolum, 163; asterinum, 253; Magnoliae, 253
 Campanularius solidipes, 14
 Cantharellus aurantiacus, 128; umbonatus, 128
 Carex aquatilis, 125; vesicaria, 125
 Carica Papaya, 10
 Cassia alata, 185
 Castanopsis chrysophylla, 155
 Catacauma biguttulatum, 62; flabellum, 80, 82, 83, 84, 86, 90; palmicola, 5
 Caudella psidii, 179
 Cecropia adenopus, 106
 Celastrus scandens, 173
 Celtis occidentalis, 170
 Cenangium Abietis, 283
 Cercis canadensis, 138, 140
 Ceriomyces communis, 44; ferruginatus, 44; viscidus, 44
 Cercospora ampelopsidis, 140; antipus, 125; bliti, 139; cercidicola, 140; chionea, 138; cruenta, 138; echinocystis, 138; graminum, 125; hemerocallis, 139; Ichthyomethiae, 175; menispermi, 138; nepetae, 140; personata, 138; plantaginella, 139; plantigenis, 139; psedericola, 139; pustulata, 140; subsessile, 125; viminei, 141; zebrina, 125
 Cercosporina juncicola, 36, 197
 Cestrum laurifolium, 184; macrophyllum, 184, 187
 Chaetochloa magna, 40
 Chamaedaphne calyculata, 167
 Chamaenerion angustifolium, 126, 127
 Chanterel aurantiacus, 45, 97; cibarius, 46; cinnabarinus, 46; dichotomus, 97; floccosus, 45, 46; muscoides, 97
 Chenopodium hybridum, 165; leptophyllum, 157
 Chlorophyllum Molybdates, 115
 Chlorosplenium aeruginosum, 124
 Chromocrepis bicolor, 5
 Chrysobalanus icaco, 186; pellocarpa, 186
 Cintractia Caricis, 125
 Cissus sicyoides, 10
 Cladosporium Paconiae, 198; Salicis-sitchensis, 174
 Clavaria flava, 44, 46; Hypoxylon, 7; ligula, 127; pistillaris, 44; pulchra, 127; stricta, 127
 Claviceps microcephala, 66; purpurea, 61, 66
 Clethra alnifolia, 158, 164
 Clitocybe clavipes, 45; dealbata, 98; laccata, 128
 Clover rusts, Summary of investigations on, W. H. Davis, 203
 Clusia gundlachii, 184
 Clypeoporthella Brencklei, 253
 Coccoloba laurifolia, 178, 190; uviifera, 190
 Coccothrinax argentea, 5
 Coelosphaeria subconnata, 104
 Coleosporium (?) pallidulum, 11; Solidaginis, 98, 126
 Collection of Costa Rican fungi, A. Silence Rowlee, 115
 Colletotrichum fusarioides, 169; salmonicolor, 169; trillii, 141
 Collybia velutipes, 132
 Coltricia cinnamomea, 12; perennis, 133; tomentosa, 97
 Coniosporium subcorticale, 173
 Coniothyrium Bartholomaei, 162; concentricum, 162
 Cookeina sulcipes, 120
 Coprinus armillaris, 12; ephemerus, 12; micaceus, 128
 Cordia sulcata, 178
 Cordyceps militaris, 61, 67; Robertsii, 53

- Coriopsis occidentalis*, 117; *rigida*, 12
Coriolus abietinus, 97; *nigromarginatus*, 12, 97; *pavonius*, 12; *pinus*, 12; *prolificans*, 97, 117; *pubescens*, 97; *versicolor*, 97
Corticium arachnoideum, 127; *granulare*, 131; *lactum*, 127; *livido-caeruleum*, 127; *vagum*, 64, 127
Cortinarius alboviolaceus, 45; *armillatus*, 97; *calochrous*, 129
Cortinellus rutilans, 45, 253; *vac-cinus*, 98
Coronophora gregaria, 109
Coryneum bicornis, 170; **cinereum**, 171; *thujinum*, 171
Crataegus Douglasii, 171
Craterium leucocephalum, 123
Creonectria grammicospora, 5; *ochroleuca*, 5
Crepidotus herbarum, 129; *mollis*, 97; *rhizomorphus*, 131; *serotinus*, 97
Crescentia cajuete, 192
Croton Astroites, 5
Cryptomyces Pteridis, 86
Cryptospora suffusa, 59
Cucurbitaria Berberidis, 62; *brevi-barbata*, 104; *callista*, 108
Cyathus triplex, 14
Cylindrosporium acerinum, 164, 165; **brevispina**, 171; *Ceanothi*, 252; *conservans*, 172; **consociatum**, 165, 172; *hiemale*, 125; *lutescens*, 125; *minor*, 252; *Nuttallii*, 172; **Urticae**, 173
Cynoglossum officinale, 160
Cytodiplospora elymina, 253
Cytospora platensis, 4

Dacromyces aurantia, 96
Daedalea amanitoides, 118; *ambigua*, 38; *confragosa*, 97; *unicolor*, 128
Daldinia concentrica, 6, 120; *Eschscholzii*, 6; *vernica*, 124
Daleomyces, 240; **Gardneri**, 241
Darluka Filum, 9
Davis, W. H., Summary of investigations on clover rusts, 203
Dearness, John, New and noteworthy fungi, III, 143
Decary, S., Prudence Mal Placée, 43
Dendrophoma Syringae, 160
Dendrostilbe Ulmi, 175
Dermatea dimorpha, 8, 14
Diaporthe Berlesiana, 59; *binoculata*, 158; *celastrina*, 173; *leiphaemia*, 59; *umbrina*, 284

Diatrype disciformis, 54, 55, 58; *Quercina*, 54, 55
Dichomera Clethrae, 164
Didymaria Solani, 9
Didymium squamulosum, 123
Dimerosporium balsamicola, 153; *spissum*, 85; **Tsugae**, 153
Ditopella fusispora, 111
Dolicholus reticulatus, 12
Dothichloe subnodosa, 87
Dothidea Baccharidis, 154, 161; *Crotonis*, 5; *fructigena*, 67; *gibberulosa*, 51; *melanops*, 54; *puccinioides*, 60; *Ribesiae*, 54; *Sambuci*, 60; *typhina*, 67; *Ulmi*, 67, 87, 88
Dothidella andiricola, 285; **Castanopsidis**, 155; *fallax*, 59
Drosophila appendiculata, 45; *Storea*, 45

Echinodella camphorae, 195; **fourcroyae**, 195; *melastomacearum*, 195; *miconiae*, 195; **myrciae**, 195; *rondeletiae*, 195
Echinodes bromeliae, 194; **mameae**, 194; *stellatum*, 194
Echinocystis lobata, 138
Elleutheromyces subulatus, 124
Elfvigia megaloma, 97; *tornata*, 118
Elfvigiella fasciata, 13; *fomentaria*, 133
Elymus canadensis, 78, 89; *condensatus*, 33, 34; *europaeus*, 73; *innovatus*, 124; *virginicus*, 156, 157
Endothia parasitica, 98; *radicalis*, 59
Englerulaster asperulispora, 188
Enteridium Rozeanum, 123
Entoloma Grayanum, 45
Epichloe typhina, 54
Epilobium angustifolium, 125
Epithele hydnoidea, 131
Eriosphaeria alligata, 156
Erysiphe graminis, 124; *polygoni*, 124
Eucalyptus amygdalina, 201
Eugenia buxifolia, 181
Euryachora Sedi, 60
Eutypa aurantiicola, 6; *flavovirens*, 6; *flavovirescens*, 6; *lata*, 55
Eutypella capillata, 158; *deusta*, 158; *glandulosa*, 158; *microcarpa*, 158
Evonymus atropurpureus, 136; *ja-ponicus*, 136
Exidia arborea, 96; *glandulosa*, 127
Factors influencing the infection of wheat by *Tilletia Tritici* and *Tilletia laevis*, James A. Faris, 259

- Fagus grandifolia*, 221
Falcata Pitcheri, 173
 Faris, James A., Factors influencing the infection of wheat by *Tilletia Tritici* and *Tilletia laevis*, 259
Favolus canadensis, 128; *Rhipidium*, 13
Fenestella suffusa, 59
 Fern rusts and their aecia, J. C. Arthur, 245
Ficus elastica, 24, 26, 28
Fimbristylis diphylla, 10
Fistulina hepatica, 44
 Fitzpatrick, Harry Morton, The genus *Frachiaea*, 101
Flammula sapinea, 129
Fomes fasciculatus, 131; *fomentarius*, 128; *Laricis*, 197; *roseus*, 97, 197; *ungulatus*, 97, 133
Fomitiporia prunicola, 96
Frachiaea, 101; *affinis*, 108; *americana*, 104, 106; *australis*, 101, 108; *brevibarbata*, 103, 104, 106; *callista*, 108; *Candollei*, 110; *coniferarum*, 112; *Cordaeana*, 110, 111; *cucurbitarioides*, 104, 106; *cucurbitarioides f. cecropiicola*, 105, *f. eucalyptina*, 104, *f. Pini-insignis*, 105, *f. Quercus-sessiliflorae*, 105; *eucalyptina*, 103, 104, 107; *glomerata*, 104, 106; *heterogenea*, 101, 103, 104, 106, 107, 110; *heterogenea f. Alni*, 111, *f. Salicis*, 112, *v. aculeata*, 105; *introflexa*, 110; *microspora*, 102, 109; *morica*, 104; *multiasca*, 109; *pau*, 104, 103, 104; *rasa*, 104; *Romelliana*, 109; *rostrata*, 109; *Saccardiana*, 111; *subcongregata*, 104, 112; *subconnata*, 104; The genus, Harry Morton Fitzpatrick, 101
Fragaria canadensis, 125
Fumago vagans, 10
 Fungi, A collection of Costa Rican, Silence Rowlee, 115
 Fungi, Lake Placid, W. A. Murrill, 96
 Fungi, III, New and noteworthy, John Dearnese, 143
 Fungi, The larger British, W. A. Murrill, 42
 Fungi, Three new, William Albert Setchell, 240
 Fungi from central Manitoba, G. R. Bisby, 122
Fuscoporia ferruginosa, 96
Fuscladium depressum, 146, 166; *radiusum*, 125
Galerula macromastes, 13
Ganoderma subfornicatum, 118; *subincrustedum*, 118
 Garrett, A. O., The aecial stage of *Puccinia Pattersoniana*, 33
Gaultheria procumbens, 159; *shallon*, 145, 159
Geaster Hariotii, 14
Genipa americana, 180
Geopetalum abietinum, 97
Geranium maculatum, 66
Gibbera moricarpa, 104, 106, 107
Gibberella Saubinetii, 280, 281
Gloeophyllum hirsutum, 97; *striatum*, 13
Gloeosporia betulicola, 167
Gloeosporium Betulae-papyriferae, 167; *Chamaedaphnis*, 167; *fusarioides*, 169; *hysterioideum*, 167; *Lathamii*, 168; *Moelleraeanum*, 169; *Osmaroniae*, 168
Glomerella cingulata, 169
Gloniopsis guttulata, 9, 15
Gomphidius nigricans, 45
Gouania polygama, 11
Grifolia umbellata, 133
Guelpinia fissa, 119
Guignardia Bidwellii, 229; *pipericola*, 6
Gymnopilus penetrans, 97
Gymnopus dryophilus, 45, 97; *radicatus*, 45; *velutipes*, 97
Gyromitra esculenta, 199
Gyrophragmium Delilei, 133
Gyroporus castaneus, 44
Hammamelis virginiana, 171
Hapalopilus gilvus, 13
Haplosporella rhoina, 162
Helianthus annuus, 12
Helminthosporium catenarium, 38; *cyclops*, 38; *dictyoides*, 38; *giganteum*, 228; *halodes*, 38; *leucostylum*, 38; *micropus*, 38; *monoceras*, 38, 228; *Oryzae*, 283; *rostratum*, 38; *siccans*, 38; *stenacrum*, 38; *stromatoideum*, 174; *teres*, 228; *triseptatum*, 38; *vagans*, 38
Helotium citrinum, 96, 124
Hemerocallis fulva, 139
Hendersonia Grantii, 163; *panicola*, 253; *Phragmitis*, 163
Hepialus virescens, 53
Hercospora Tiliae, 59
Heterosporium repandum, 10
Hexagona floridana, 116; *purpurascens*, 116
Hillia parasitica, 188
Hippocratea volubilis, 179, 181
Homostegia Piggotii, 57
Hordeum jubatum, 126

- Hyaloceras Hamamelidis*, 171
 Hydnaceae, Notes on the scaly species of, H. C. Beardslee, 255
Hydnum caeruleum, 128; *connatum*, 128; *cyathiforme*, 128; *discolor*, 118; *guaranticum*, 118; *mirabile*, 128; *repandum*, 44, 128
Hydrocybe conica, 45
Hygrophorus hypothejus, 97; *joz-zolus*, 45
Hymenochaete damaecornis, 119
Hypholoma capnoides, 97; *lateritium*, 45; *perplexum*, 97, 132; *sublateritium*, 97
Hypochnus servinus, 127; *fumosus*, 127
Hypocrea rufa, 54
Hypoderma brachysporum, 149, 234; *deformans*, 146, 148, 149; *deformans f. contorta*, 149; *Desmazierii*, 149; *robustum f. latispora*, 149; *lineare*, 150, 234; *sulcigena*, 146
Hypodermella ampla, 152; *Abietis-concoloris*, 150; *Laricis*, 151; *medusa*, 152; *macrospora*, 151; *montivaga*, 148, 151; *nervisquia*, 150; *sulcigena*, 151
Hypomyces Lactifluorum, 284; *rossellus*, 5
Hypoxylon annulatum, 6; *coccineum*, 88, 89; *fuscum*, 124; *Glycyrrhiza*, 7; *multiforme*, 124; *pseudopachyloma*, 6; *rubiginosum*, 6
Hyptis capitata, 11
Hysterium Calabash, 9, 15; *pinastri*, 153; *pulcherrimum*, 31; *pulicare*, 30, 32; *rufulum*, 9
Hysterostomella discoidea, 70
Ichthyomethia piscipula, 175
Ilex maxima, 188
 Illinois, A new *Hysterium* from, L. R. Tehon and P. A. Young, 30
Inga vera, 180
Inocybe minima, 129
Iresine elatior, 11
Irpiciporus lacteus, 97
Ixona ferrea, 182, 189
Jacquemontia nodiflora, 12
Jacquinia Barbasco, 7
Juncus effusus, 36; *effusus decipiens*, 197
Kellermannia major, 163
Laccaria laccata, 45, 97; *ochropurpurea*, 45
Lactaria deliciosa, 45; *grisea*, 45; *indigo*, 45; *ligniota*, 45; *maculata*, 45; *ocellata*, 97; *parvus*, 129; *imperata*, 45; *plinthogala*, 45; *subdulcis*, 45; *theiogala*, 97; *trivialis*, 45; *tormenosus*, 129
Lactuca scariola, 165
Laetiporus sulphureus, 45, 133
 Lake Placid Fungi, W. A. Murrill, 96
Langeria resinosa, 192
Lantana camara, 11
Larix laricina, 153
Ledum groenlandicum, 126
Lembosia philodendri, 190, 191; *portoricensis*, 190; *rapaneae*, 191; *rolliniae*, 190; *sclerolobii*, 190; *sepotae*, 191; *tenella*, 190
Lembosidium portoricense, 285
Lentinellus cornucopioides, 14
Lentinus cochleatus, 14; *crinitus*, 13, 116; *flaccidus*, 13; *hirtus*, 13; *strigosus*, 116, 133; *subscyphoides*, 116; *velutinus*, 13
Lentodiellum concavum, 115
Lenzites betulina, 128; *saepiaria*, 128
Leonotis nepetaefolia, 9, 11
Leontodon Taraxacum, 125
Leotia lubrica, 45
Lepiota amianthina, 98; *naucina*, 45; *procera*, 43, 143
Lepista graveolens, 143; *personata*, 45
Leprieurina Winteriana, 71
Leptostromella Panic, 166; *septorioides*, 166
Leptothyrella Latham, 166; *Robiniae*, 166
Leptothyrium brunnichiae, 136; *Chenopodii*, 165; *dryinum*, 137; *Lactucae*, 165; *Smilacis*, 165; *vulgare*, 136
 Levine, Michael, Studies on plant cancers—VI. Further studies on the behavior of crown gall on the rubber plant, *Ficus elastica*, 24
Libocedrus decurrens, 153
Lichen atratus, 8
Lizonia Jacquini, 7
Lonicera glaucescens, 125
Lophiostoma Elymi, 157
Lophium mytilinellum, 124
Lophodermella montivaga, 151
Lophodermium Abietis, 153; *Abietis-concoloris*, 151; *amplumi*, 152; *Cupressi-thyoides*, 153; *gilvum*, 152; *juniperinum*, 153; *laricinum*, 153; *lineare*, 146; *pinastri*, 124, 146, 153; *Thuyae*, 153
Lycoperdon cepaeforme, 129; *cruciatum*, 46; *epidendron*, 96; *gem-*

- matum, 46, 96; giganteum, 133; spadiceum, 129
- MacOwaniella congesta, 85
- Macrophoma *Oenotherae-biennis*, 160; ulmicola, 160
- Malus Malus, 158
- Mammea americana, 195
- Mangifera indica, 4, 10
- Manitoba, Fungi from central, G. R. Bisby, 122
- Marasmius caryophylleus, 45; oreades, 97; rotula, 97; scorodonius, 133
- Massaria polycarpa, 56; rhodostroma, 56
- Meibomia paniculata, 176
- Meinecke, E. P., The European mistletoe, 41
- Melampsora Bigelowii, 126
- Melampsoropsis ledicola, 126
- Melanconis stilbostoma, 59
- Melanoleuca dichropus, 13; melleuca, 133; Russula, 253
- Meliolidium portoricense, 285
- Meliola asterinoides, 4; Cookeana, 154
- Melogramma Bulliardii, 54; gastrinum, 54; rubricosum, 54
- Melophia Eugeniae, 9
- Menispermum canadense, 138
- Merulius niveus, 128; pilosus, 128; tremellosus, 96
- Miconia guianensis, 182; impetio-laris, 182, 187, 192; laevigata, 183, 193, 194, 195; macrophylla, 191; prasiana, 191; racemosa, 181, 182, 187, 191; religiosus, 196; sintenisii, 182; splendens, 183, 191; thomasiana, 181
- Micropeltidium monense, 285; portoricense, 285
- Microthyrium *calophylli*, 179; *Thuyae*, 154
- Mimosa ceratonia, 12
- Mistletoe, The European, E. P. Meinecke, 41
- Moldavica parviflora, 145
- Mollisia Angelicae, 145
- Monodelphus illudens, 45
- Monosperma portoricensis, 285
- Morenoella calemi, 192; *cestri*, 192; decalvans, 192, 193; dothideoides, 191, 192; *giganteae*, 194; *langeriae*, 192; *melastomacearum*, 194; *miconiae*, 191; *miconicola*, 191; portoricensis, 193, 285; pothodeli, 193; *psychotriae*, 194
- Murrill, W. A., Lake Placid fungi, 96; The larger British fungi, 42; Woodstock fungi, 44
- Mycena gloiocyanea, 45
- Mycenastrum corium, 145
- Mycological notes for 1921-22, L. O. Overholts, 233
- Mycosphaerella *Chenopodii*, 157
- Myrcia splendens, 186, 195
- Myriostoma coliforme, 144
- Myxosporium *alboluteum*, 168; *fumosum*, 169; *Oenotherae*, 169; *stellatum*, 169; *Tiliae*, 169
- Naucoria pediades, 129; popularis, 13; semiobicularis, 253
- Naumburgia thyrsiflora, 127
- Nectandra coriacea, 5
- Nectria cinnabarina, 124; episphaeria, 5; grammicospora, 5; setosa, 5; suffulta, 5; tucumanensis, 121; vulgaris, 5
- Nemopanthes mucronata, 174
- Nepeta cataria, 140
- New and noteworthy fungi—III, John Dearnness, 143
- New Hysterium from Illinois, L. R. Tehon and P. A. Young, 30
- Niptera subiculata, 8
- Nitschkia pauidia, 104; subcon-nata, 104
- Notes, Mycological, for 1921-22, L. O. Overholts, 233
- Notes on species of Russula, Gertrude S. Burlingham, 16
- Notes on the parasitic fungi of Illi-nois, L. R. Tehon, 135
- Notes on the scaly species of Hyd-naceae, H. C. Beardslee, 255
- Nummularia Bulliardii, 55; discreta, 158; dura, 7; Glycyrrhiza, 7; re-panda, 7
- Nyssa sylvatica, 137
- Ocotea leucoxydon, 193
- Oenothera biennis, 160, 169
- Oidium Cyparissiae, 10
- Omphalia campanella, 133
- Omphalopsis campanella, 45, 97; fibula, 45
- Opuntia echinocarpa, 156
- Orton, C. R., Studies in the mor-phology of the Ascomycetes, I. The stroma and the compound fructification of the Dothideaceae and other groups, 49
- Osmaronia cerasiformis, 168, 172
- Othia hypoxylodes, 7
- Overholts, L. O., Mycological notes for 1921-22, 233
- Oxalis stricta, 155
- Padus virginiana, 125
- Palawaniella Eucleae, 85

- Panaecolus phalenarum*, 14; *solidipes*, 129
Panicum adspersum, 47; *bulbosum*, 47; *hians*, 166
Panus Trogodytes, 13
 Parasitic fungi of Illinois, Notes on the, L. R. Tehon, 135
Parmularia javanica, 71
Passiflora multiflora, 184; *rubra*, 183; *sexflorea*, 184
Patellaria atrata, 8
Paxillus involutus, 97
Penicillium decumbens, 37; *expansum*, 37; *vermiculatum*, 62
Peniophora glebulosa, 127; *subalutacea*, 127
Peronospora Lophanthi v. Moldavicae, 145
Pestalozzia camptosperma, 170
Petrakiella insignis, 252
Peziza nigrescens, 12; *vesiculosa*, 124
Phacidium Gaultheriae, 145; *Ilicis*, 55
Phaeocol sistotremoides, 45
Phleospora curvispora, 164, 165, 172
Phleum pratense, 124
Pholiota adiposa, 46; *squarrosa*, 132, 133
Phoma Akebiae, 159; *Cynoglossi*, 160; *lathyrina*, 9; *Leonotidis*, 9; *spermoides*, 160; *thallactrina*, 160
Phomopsis Brencklei, 253; *juniperovora*, 235
Phragmidium Rosae-acicularis, 126
Phragmopeltis Phragmitis, 167
Phyllachora amphidyma, 59; *Bromi*, 59; *Crotonis*, 5; *graminis*, 5, 51, 59, 72, 73, 76, 78, 79, 82, 83, 89, 90, 91; *Junci*, 60; *melanoplaca*, 60; *Nectandrae*, 5; *orbicularis*, 285; *oxalina*, 155; *Poae*, 59; *punctiformis*, 59; *serjaniicola*, 5
Phyllosticta asteris, 98; *Caricis*, 125; *castanicola*, 155; *confertissima*, 238; *cruenta*, 159; *Gaultheriae*, 159; *minutissima*, 172
Phyllostictina carpogena, 40
Physalospora Andirae, 7; *erratica*, 157
Phytophthora cinnamomi, 36
Picea Engelmanni, 153; *mariana*, 126
Piggota depressa, 166
Pilosace tricholepis, 14
Pinus austriaca, 152; *Banksiana*, 124, 152; *contorta*, 149, 150, 151, 152; *edulis*, 150; *flexilis*, 151; *insignis*, 106; *Jeffreyi*, 152; *monophylla*, 149; *monticola*, 150, 174; *Murrayana*, 171; *ponderosa*, 150, 152, 236; *silvestris*, 152, 236; *Strobilus*, 144, 149, 150, 233, 234, 236, 237
Piper medium, 6, 10
Piptoporus suberosus, 46
Pirostoma nyssae, 137
 Plant cancers, studies on—VI. Further studies on the behavior of crown gall on the rubber plant, *Ficus elastica*, Michael Levine, 24
Plantago lanceolata, 139; *major*, 139; *rugelii*, 139
Plantanus occidentalis, 32
Plathypena scabra, 173
Pleuraea arachnoidea, 6
Pleurostoma Candollei, 110
Pleurotus ostreatus, 133; *sapidus*, 143; *ulmarius*, 132
Plowrightia Mezerci, 60
Poa pratensis, 124–126
Podospora arachnoidea, 6
Pogonomyces hydnoides, 13, 117
Poikiloderma butonium, 55
Polygonatum biflorum, 159
Polyporus betulinus, 128; *biformis*, 128; *caesius*, 128; *diabolicus*, 117; *fornicatus*, 14; *hirtellus*, 12; *incrustedatus*, 14; *lucidus*, 14; *oblectans*, 12; *pargamenus*, 128; *picipes*, 133; *pinsitus*, 12; *Polyporus*, 97; *pubescens*, 128; *Schweinitzii*, 197; *Spraguei*, 37; *subelegans*, 13; *tulipiferus*, 128; *velutinus*, 14
Polystigma rubrum, 54
Polythrincium trifolii, 125
Populus alba, 201; *Sargentii*, 158, 168; *tremuloides*, 125
Porodaedalea Pini, 97
Poronia punctata, 54
 Porto Rico, The Microthyriaceae of, Ruth W. Ryan, 177
Prillieuxiana Winteriana, 71
Prosopis juliflora, 162
Protothrium Salvadorae, 70
Prudence Mal Placée, S. Decary, 43
Prunulus Leianus, 45
Prunus demissa, 173; *pennsylvanica*, 125
Psalliota campestris, 43
Psedera quinquefolia, 139
Pseudodimerium meliolicolum, 253
Pseudomonas Phaseoli, 123
Pseudotsuga taxifolia, 37, 148
Pseudovalsa lanciformis, 59
Psidium guajava, 179, 185
Psychotria pubescens, 185
Pteris aquilina, 80, 86
Puccinia Blechi, 10; *crassipes*, 10; *epiphylla*, 126; *esclavensis*, 11, 47;

- gigantea, 126; graminis, 126, 245;
Grossulariae, 127; Helianthi-
mollis, 127; heterospora, 11; Hu-
beri, 47; Hyptidis, 11; impedita,
11; invaginata, 11; Ipomoeae-
panduranae, 100; Lantanae, 11;
leonotidicola, 11; Leonotidis, 11;
lysimachiata, 127; macropoda, 11;
Moreniana, 33; obliqua, 11; opu-
lenta, 11; Pattersoniana, 33, 34,
35, The aecial stage of, A. O.
Garrett, 33; Raunkiaerii, 10, 11;
Scleriae, 11; Synedrellae, 9, 11;
Urbaniana, 11; urticata, 127;
Xanthii, 245
Pucciniastrum arcticum, 127; pus-
tulatium, 127
Pucciniopsis *Caricae*, 10
Puccinosira pallidula, 11; Tri-
umphetae, 11
Puiggarina Ichnanthi, 285
Pycnopus cinnabarinus, 133; san-
guineus, 13, 117
Pyropolyporus igniarius, 96

Quaternaria Persoonii, 54, 55
Quercus rubra, 144; sessiliflora,
106; stellata, 168; velutina, 169

Radicula palustris, 165
Ramularia punctiformis, 125; Ta-
raxaci, 125; Tulasnei, 125; vir-
gaureae, 141
Ramuria cocculus, 189
Ravenelia Caesalpiniae, 12; Ste-
vensii, 12
Rhabdocline Pseudotsugae, 148
Rhipidocarpon javanicum, 71
Rhizoctonia Solani, 64, 125; tuli-
parum, 99
Rhizopus nigricans, 124
Rhopalidium *cercosporelloides*, 170
Rhopographus filicinus, 60, 62, 63,
90; *nucleatus*, 156
Rhus glabra, 162; Toxicodendron,
163
Rhytidophyllum auriculatum, 182
Rhytisma acerinum, 131; salicinum,
124
Ricinus communis, 66
Rigidoporus surinamensis, 117
Rivina humulis, 11
Robinia Pseudo-Acacia, 166; vis-
cosa, 201
Rosa acicularis, 126
Rosellinia Bresadolae, 7; ligniaria,
156; melaleuca, 7; subiculata, 7,
8
Rostkovites granulatus, 45
Rostrupia Scleriae, 11

Rowlee, Silence, A collection of
Costa Rican fungi, 115
Rubus triflorus, 127
Ruppia maritima, 243
Russula, 16; *affinis*, 22; *alcalini-
cola*, 18; *atropurpurea*, 20, 21;
aurantialutea, 17, 18; *basifurcata*,
18; *bifida*, 45; *Burkei*, 21; *cha-
maeolentinus*, 129; *chlorinosma*,
22; *cinerascens*, 21; *corallina*,
20; *crustosa*, 23; *Davisii*, 17;
delica, 45; *dura*, 17, 19; *emetica*,
45, 97, 129; *foetens*, 21, 45; *fu-
cosa*, 20; *graminicolor*, 129; *gran-
ulata*, 22; *Kellyi*, 17; *lepida*, 16;
magnifica, 17; *Mariae*, 45; Notes
on species of, Gertrude S. Bur-
lingham, 16; *obscura*, 21, 45;
operta, 18; *pulchra*, 21; *pusilla*,
19; *redolens*, 17; *rubescens*, 21;
secreta, 17; *subtilis*, 20; *subusta*,
45; *ventricosipes*, 16
Rusts, Fern, and their aecia, J. C.
Arthur, 245
Ryan, Ruth W., The Microthyri-
aceae of Porto Rico, 177

Salix sitchensis, 174
Salmea scandens, 48
Salvia coccinea, 11
Sarcodon fennicus, 257, 258; fuli-
gineo-violaceus, 258; *imbricatus*,
255, 256, 257; *laevigatus*, 257;
subsquamosus, 255, 257; Under-
woodii, 258
Sassafras variifolium, 137
Schizoparme straminea, 40
Schizophyllum alneum, 14; com-
mune, 14, 39; *multifidum*, 14
Schizoxylon Berkeleyanum, 160
Scirrhia rimosa, 60, 86, 90
Scleria pterota, 11
Sclerotinia Ancupariae, 64; *bacca-
rum*, 64; *cinerea*, 64, 65, 86; *fruc-
tigena*, 64, 65, 67, 86; *Geranii*, 65,
66; *intermedia*, 284; *Libertiana*,
65, 66, 86; *megalospora*, 64; *minor*,
65, 66; *Oxycocci*, 64; *Padi*, 64;
Ricini, 39, 66; *sclerotiorum*, 65,
86; *Vaccinii*, 64, 66, 86
Sclerotiopsis concava, 40
Sclerotium cepivorum, 284; *tuli-
parum*, 99; *vulgatum*, 10
Scoleonectria balsamea, 236; *scole-
ospora*, 236
Scolecopeltella microcarpa, 285;
portoricensis, 285
Scolecopeltis pachyasca, 285; *por-
toricensis*, 285
Scolecosporium *pedicillatum*, 170

- Seaver, Fred J., Additions to the rust flora of the West Indies, 46;
The fungus flora of St. Thomas, 1
Septobasidium pinicola, 233
Septogloeum Celtidis, 170; Nuttallii, 172
Septoria alnifolia, 125; *asclepiadicola*, 164; *atropurpurei*, 135; *calistephi*, 98; *caricis*, 125; *circinata*, 164, 172; *curvispora*, 164; *euonymi*, 136; *Paeoniae berolinensis*, 198; *Radiculae*, 165; *Ribis*, 125; *salicina*, 125; *semi-circularis*, 136; *spiculisporea*, 136
Serjania polyphylla, 5
Setchell, William Albert, Three new fungi, 240
Seynesia coccolobae, 178; *cordiae*, 178
Smilax rotundifolia, 166
Solanum rugosum, 181
Solidago multiradiata, 126
Spathularia clavata, 124
Sphacelotheca cruenta, 278; *Sorghi*, 278
Sphaeria annulata, 6; *botryosa*, 106, 112; *brevibarbatia*, 104, 106; *callista*, 108; *concentrica*, 6; *episphaeria*, 5; *Eschscholzii*, 6; *Filum*, 9; *flabella*, 80; *flavovirescens*, 6; *gibberulosa*, 56; *graminis*, 5, 73; *introflexa*, 110; *militaris*, 53; *ochroleuca*, 5; *pauridia*, 104, 106; *polycocca*, 110; *rasa*, 104, 106; *repanda*, 7; *rosella*, 5; *rubiginosa*, 6; *subcongregata*, 104, 106, 107; *subconnata*, 104, 106; *subconvexa*, 104; *subiculata*, 7
Sphaerophoma Brencklei, 253
Sphaeropsis Akebiae, 161; *Amelanchieris*, 161; *baccharidicola*, 161; *Prosopodis*, 161; *Tecomae*, 162; *ulmicola*, 131; *visci*, 42
Sphaerostilbe hypocreoides, 6; *intermedia*, 6, 10
Spiraea corymbosa, 170; *Menziesii*, 170
Sporormia intermedia, 6
St. Thomas, The fungus flora of, Fred J. Seaver, 1
Steganosporium fenestratum, 164
Stemonitis Morgani, 4; *splendens*, 4
Stereum australe, 119; *decolorans*, 119; *fasciatum*, 127; *hirsutum*, 133; *ochraceoflavum*, 127; *purpureum*; *rufum*, 127; *rugosiusculum*, 127
Stevensula monensis, 285
Stictis ocellata, 55, 86
Stictosphaeria Hoffmani, 55
Stigmella Nemopanthis, 174
Stilbella Heveae, 10
Stilbocrea hypocreoides, 6
Stilbospora asterospora, 220
Stilbum Heveae, 10; *Karstenii*, 10
Strobilomyces strobilaceus, 133
Stropharia melanosperma, 253
Studies in the morphology of the Ascomycetes, I. The stroma and the compound fructification of the Dothideaceae and other groups, C. R. Orton, 49
Studies on plant cancers—VI. Further studies on the behavior of crown gall on the rubber plant, *Ficus elastica*, Michael Levine, 24
Summary of investigations on clover rusts, W. H. Davis, 203
Synchytrium endobioticum, 41
Synedrella nodiflora, 11
Synsphaeria parallela f. *acanthostigmoides*, 110, 111
Syringa vulgaris, 161
Tapinia lamellosa, 45
Tecoma radicans, 162
Tehon, L. R., Notes on the parasitic fungi of Illinois, 135
Tehon, L. R., and Young, P. A., A new *Hysterium* from Illinois, 30
Teichospora mammoides, 156
Tetrazygia elaeagnoides, 181, 183
Thaxteriella corticola, 253
Thecaphora Ruppieae, 243
Thelephora caryophyllae, 127; *intybacea*, 127; *palmata*, 133; *terrestris*, 127
Thielavia basicolor, 228
Three new fungi, William Albert Setchell, 240
Thuja occidentalis, 235; *orientalis*, 235; *plicata*, 154, 171
Tilia americana, 169
Tilletia laevis, 259–281; *Tritici*, 259–281
Tilletia Tritici and *Tilletia laevis*, Factors influencing the infection of wheat by, James A. Faris, 259
Torrubia coccigena, 54
Tournefortia laurifolia, 180
Toxosporium camptospermum, 170
Trachysphaera fructigena, 130
Trametes carnea, 128; *gallica*, 201; *hispida*, 128; *Pini*, 197; *rigida*, 12
Tremella lutescens, 127; *mesenterica*, 127
Trichomerium portoricense, 285
Trichosporium falcata, 173; *pinicolum*, 174
Trichothyrium fimbriatum, 70, 85
Trifolium hybridum, 203, 205, 210,

- 211, 214, 218; incarnatum, 210; medium, 203, 218; pratense, 203, 205, 208, 210, 211, 215, 216, 218; repens, 125, 203, 205, 206, 207, 210, 211, 218
- Trillium recurvatum, 141
- Tryblidium rufulum, 9
- Tsuga canadensis, 174, 235; heterophylla, 37, 154
- Tubercularia vulgaris, 124
- Tuberculina **flavogranulata**, 176; persicina, 10
- Tympanopsis euomphala, 110
- Tyromyces chioneus, 97
- Ulmus americana, 175, 238; fulva, 238
- Uredinopsis Osmundae, 247, 248
- Uredo Commelinae, 12; Hyptidis, 11; Leonotidis, 11
- Uromyces **Anthacanthi**, 47; Brodiaeae, 33; Caesalpiniae, 12; Dolicholi, 12; gemmatus, 12; Hedy-sari-paniculata, 176; **Hybridi**, 214, 216, 218; Salmeae, 48; Trifolii, 208, 215, 216, 218; Trifolii-repentis, 204, 206, 207, 215, 218
- Urtica Lyallii, 173
- Ustilago Fimbristylis, 10; levis, 125; Lorentziana, 126
- Ustilina vulgaris, 7, 54
- Vaginata agglutinata, 45; farinosa, 45
- Valota insularis, 11, 47
- Valsaria viticola, 158
- Venenarius phalloides, 45
- Vermicularia zingibereae, 37
- Viburnum dentatum, 235
- Vigna sinensis, 138
- Viscum album, 41
- Vitis vulpina, 158
- Volutella Buxi, 237
- West Indies, Additions to the rust flora of the, Fred J. Seaver, 46
- Woodstock fungi, W. A. Murrill, 44
- Wynnea americana, 236
- Xylaria appendiculata, 7; Hypoxylon, 7; poculiformis, 120; polymorpha, 54, 120; sessilis, 8; subtorulosa, 8
- Young, P. A., and Tehon, L. R., A new Hysterium from Illinois, 30
- Yucca Whipplei, 162, 163